

# EAST Search History

10/028,146

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(XML with embedded with SQL with query with database) and @ad < "20010801" and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L2	7	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L3	4	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L4	3	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L5	162	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L6	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L7	77	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L8	77	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L9	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

## EAST Search History

L10	17	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L11	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L12	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L13	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L14	4	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L15	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L16	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L17	1787	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L18	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L19	478	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

## EAST Search History

L20	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L21	87	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L22	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L23	37	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L24	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L25	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L26	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L27	1	conver\$5 with (XML adj doc\$5) with (map\$4 ) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L28	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L29	9	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

## EAST Search History

L30	9	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L31	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L32	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L33	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L34	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L35	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L36	8	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L37	4	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L38	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L39	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05

## EAST Search History

L40	3	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L41	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L42	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L43	77	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L44	24	conver\$5 with (XML adj doc\$5) with (map\$4 ) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L45	33	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L46	32	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L47	14	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
L48	87	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:05
S2	6	(XML adj doc\$6) same (SQL adj statements) same mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/24 18:04

## EAST Search History

S3	3	"20030037052"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:12
S4	0	XML adj mapping adj tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:13
S5	108	XML adj mapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:13
S7	1	(XML adj mapping with stor\$4 with database) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:59
S8	19	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:17
S9	19	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:51
S10	6	("6732095" or "6604100").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 10:51
S11	16	(XML adj doc\$6) with conv\$4 with (language) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:29
S12	0	(XML adj doc\$6) with conv\$4 with (language near2 scripts) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:14
S13	0	(XML adj doc\$6) with conv\$4 with (language near2 (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:14

## EAST Search History

S14	0	(XML adj doc\$6) with conv\$4 with (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:15
S15	3	(XML adj doc\$6) with conv\$4 same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:22
S16	0	(XML adj doc\$6) with (conv\$4 adj "into") same (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:23
S17	0	(XML adj doc\$6) with (conv\$4 adj "into") and (language with (commands or scripts or statements)) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:23
S18	1727	"into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:23
S19	0	conver\$5 near2 (XML adj doc\$5) near2 "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:27
S20	421	conver\$5 near2 (XML adj doc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S21	0	conver\$5 near2 (XML adj doc\$5) with 'into'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S22	75	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28
S23	0	conver\$5 near2 (XML adj doc\$5) with "into"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 10:28

## EAST Search History

S25	32	conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:09
S26	0	conver\$5 near2 (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:21
S27	0	conver\$5 with (XML adj doc\$5) with (map\$4 near2 tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:21
S28	0	conver\$5 with (XML adj doc\$5) with (map\$4 with tree) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:21
S30	1	conver\$5 with (XML adj doc\$5) with (map\$4 ) same (tree or hierarch\$4) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:43
S31	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:34
S32	4	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:49
S33	4	thomas.in. and turba.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 13:49
S34	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) with "in" and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:10
S35	0	707/104.1.ccls and conver\$5 near2 (XML adj doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:10



## EAST Search History

S36	0	707/104.1.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:12
S37	0	707/4.ccls and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:12
S38	5	707/4.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:12
S39	7	707/104.1.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:19
S41	4	"643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:34
S42	2	"6643633".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 12:14
S43	3	"6810429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:39
S44	2	"20030041053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:01
S45	2	"20030110446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 18:02
S46	3	"6604135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 12:14

## EAST Search History

S47	77	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:18
S48	24	conver\$5 with (XML adj doc\$5) with (map\$4 ) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:18
S49	33	(XML adj doc\$6) same (SQL adj statements) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:19
S50	32	XML adj mapping and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:20
S51	14	707/10.ccls. and conver\$5 near2 (XML same doc\$5) and @ad < "20011221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:21
S52	87	conver\$5 near2 (XML adj doc\$5) with "in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/23 22:21

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	378	"mass mailing"	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/19 09:26
S2	1	("20030103962").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2005/03/08 21:26
S3	1	("20030099633").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:33
S4	0	("09/973184").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:45
S5	0	("09/973810").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:45
S6	1	("20030069903").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/08 23:59
S7	0	("10/028146").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/09 00:00
S8	1	("10028146").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/09 00:00
S9	1	("20030117591").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/15 23:41
S10	1	("10028146").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/15 23:41
S11	0	("10/028146").CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/15 23:41

## EAST Search History

S12	0	("(mappingadjtree)samedatabasesame(XMLadjdocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:15
S13	0	("(mappingadjtree)samedatabasesame(XMLadjdocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:14
S14	0	("(mappingsametree)samedatabasesame(XMLsamedocument)").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:15
S15	0	("mappingsamedatabasesameXML").PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2004/04/18 10:15
S16	0	mappingadjtree)samedatabasesame(XMLadjdocument	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:15
S17	0	mappingsametree)samedatabasesame(XMLsamedocument	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:15
S18	0	mappingsamedatabasesameXMLsamedocument	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:16
S19	227	mapping same database same XML	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:45
S20	18	mapping same database same XML same tree	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 10:47
S21	3	"20020123993" or "20020156811" or "20020078068"	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/08 20:06
S22	100043	mapping samedatabase same XML	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:45
S23	227	mapping same database same XML	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:46
S24	20	707/3.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:46
S25	5	707/101.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:47

## EAST Search History

S26	9	707/102.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:47
S27	22	707/1.ccls. and (mapping same database same XML)	US-PGPUB; USPAT; JPO	OR	OFF	2004/04/18 13:47
S28	0	XML same database same scripts same tree same (convert\$5 or transform\$5) same (data adj (request or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:29
S29	1	XML same database same scripts same tree same (convert\$5 or transform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:29
S30	0	(XML same elements same database same scripts) and tree and (convert\$5 or transform\$5) and (data adj (request or service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:30
S31	7	(XML same elements same database same scripts) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:50
S32	28	(XML same elements same database same (statements or scripts)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 20:46
S33	2	"10/257,510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 14:52
S34	10	((XML near2 SQL) same elements same database same (statements or scripts)) and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:07
S35	38	(XML adj doc\$6) same (SQL adj statements)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:08

## EAST Search History

S36	3	(XML adj doc\$6) same (SQL adj statements) same embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:11
S37	38	(XML adj doc\$6) same (SQL adj statements)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:20
S38	2	"20030093436"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 16:20
S39	4	"20020123993" or "20020156811" or "20020078068" or "20030191769"	US-PGPUB; USPAT; JPO	OR	OFF	2005/03/08 20:06
S40	3	"20040073809" or ("6601066" or "6748385" or "6484149").pn.	USPAT	OR	OFF	2005/03/08 21:27
S41	4	"20040073809" or ("6601066" or "6748385" or "6484149").pn.	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:33
S42	5	"20030069877" or "20010032204" or "20020059204" or "20030037077" or "6401084".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:45
S43	2	"20030204524" or "20040083227" or "200200049769"	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:47
S44	2	"20030204524" or "20040083227" or "200200049769"	US-PGPUB; USPAT	OR	OFF	2005/03/08 21:48
S45	21	(XML same elements same database same (statements or scripts)) and tree and transform\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 20:51
S46	6	(XML same elements same database same (statements or scripts)) and tree and transform\$6 and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 20:48
S47	8	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:01

## EAST Search History

S48	6	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801" and (conver\$6 or transform\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:02
S49	4	(XML same elements same database same (statements or scripts)) and tree and @ad < "20010801" and (conver\$6 or transform\$7) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:04
S50	3	(XML same elements same database same (statements or scripts) same (SQL or request)) and tree and @ad < "20010801" and (conver\$6 or transform\$7) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:10
S51	31	(XML same elements same database same (data near2 access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:11
S52	10	(XML same elements same database same (data near2 access)) and @ad < "20010801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 21:11